



TAVR Program

About aortic stenosis

Up to 1.5 million people in the United States affected

250,000 of these patients suffer from severe symptomatic aortic stenosis


50% of patients will not survive more than an average of two years after the onset of symptoms



Edwards SAPIEN Transcatheter Heart Valve

Leaflets matched for thickness and elasticity

Valve introduced via a catheter in one of three areas, introduced into the heart, and expanded into place.



Transfemoral
- Groin



Transapical
- Ribs



Transaortic
- Aorta



Referral Process

- Referring physicians are actively involved in the assessment of the patient
- Nikki Porter, RN, point of contact for questions and information
 - Assists in authorizing insurance
 - Obtains clinical history, copies of digital images, and blood work
 - Walks patient through evaluation process:
 - Patient meets our panel (2 of 4 implanting TAVR team physicians and coordinator)
 - Evaluation clinics are once a week
 - Patient is presented to the multi-disciplinary TAVR Physician Panel. Referring physician is invited to attend.
 - Referring physician will be given a formal written summary of the findings and treatment recommendation.

TAVR Team

Interventional Cardiologists

Gary Gershony, M.D.

Neal White, M.D.

Valve Clinic Coordinator

Nikki Porter, R.N.

Cardiac and Endovascular Surgeons

Tanveer Khan, M.D.

Ramesh Veeragandham, M.D.

Imaging Cardiologists

Paul McWhirter, M.D.

Mark Nathan, M.D.

Interventional Radiologist

Ira Finch, M.D.

Cardiac Anesthesiologist

David Fitzgerald, M.D.



proprietary and confidential

Questions?



